

Serial Nr.: 10/040,559
Art Unit: 2122

02102-URSX

AMENDMENTS TO THE SPECIFICATION:

Page 1, amend paragraph [0002] as:

[0002] If a conventional server that services a limited number of users to access a SQL database has a number numerosity of client computers suddenly expanded, the access to the SQL database would be probably jammed and paralyzed immediately. Under such a situation, there seems no other choice but to replace the SQL engine with a renewed version of larger capacity that might entail great expense for endless requirements.

Pages 1-2, amend paragraph [0004] as:

[0004] In order to realize the above-mentioned abovesaid object, a server for application of the mediate software tool of this invention includes must be provided with a SQL database and a SQL engine with a limited capacity in access of the SQL database and such that the capacity of availability of the SQL engine can be expanded to allow more people to join with. This mediate software tool comprises: an access module for establishing a plurality of instruction accesses between the server and a plurality of client computers and for transmitting/receiving the SQL commands and the processing results thereof by taking advantage of the built instruction accesses; and a SQL instruction dispatching/receiving module, which is responsible for dispatching ~~to dispatch~~ the SQL commands to the SQL engine and receiving ~~receive~~ the processed results from the SQL engine and transmitting ~~transmit~~ the same to the access module.

Page 3, amend paragraph [0007] as:

Serial Nr.: 10/040,559
Art Unit: 2122

02102-URSX

[0007] Fig. 1 shows the hardware connectivity of a plurality of client computers and a server, where this invention is applicable. A net 30 connects a server 10 with a plurality of client computers 20, in which the net 30 could be the Internet or an Intranet, and the server 10 comprises at least a SQL (structured query language) database 10a and a SQL engine 10b, ~~whose user's amount is constrained for access of~~ which only allows a limited number of users to access the SQL database. The SQL engine 10b and a mediate software tool 100 of this invention are to be executed by the server 10.

Page 3, amend paragraph [0008] as:

[0008] Fig. 2 shows the configuration of the main memory in the server shown in Fig. 1. The memory of the server 10 stores at least: a WINDOWS Windows O/S of server version 10c; the ~~user's amount constrained~~ SQL engine 10b; and an access module 101 and a SQL instruction dispatching/receiving (d/r) module 103 of the mediate software tool 100, in which the WINDOWS Windows O/S of server version 10c could be the operation system (O/S) of the WINDOWS Windows NT or WINDOWS Windows 2000, and the SQL engine 10b is the SQL server software of Microsoft Corporation.

Pages 4-5, amend paragraph [0011] as:

[0011] Fig. 4 is a schematic view showing that a narrow access of a SQL engine is broadened after this invention is employed in the server thereof. The SQL engine 10b in Fig. 4 is a SQL engine capable of accommodating four persons only, namely, it can process the SQL instruction 40 of four client computers 20 [[the]] at maximum. In this

Serial Nr.: 10/040,559
Art Unit: 2122

02102-URSX

typical example shown in Fig. 4, the maximum amount of the SQL instruction access 1010 buildable in the access module 101 is the ~~product of the~~ maximum number of people who is accepted for using simultaneously the SQL engine 10b multiplied by 256, namely, $4 \times 256 \geq 1000$. In other words, the access module 101 can link online with 1000 client computers simultaneously for the latter to access the SQL database 10a. Also in this figure, the SQL instruction d/r module 103 is supposed to receive a SQL instruction 40 provided by one of the 1000 client computers 20 through the access module 101, then dispatch that SQL instruction to the SQL engine 10b for processing. The processed result of the SQL instruction 50 is transmitted back to the client computer 20 via the SQL instruction access 1010 of the access module 101.